




MetroCount[®] Active Transport Monitoring

**INTELLIGENT SOLUTIONS
FOR MONITORING
ACTIVE TRANSPORT**



THE WORLD'S MOST RELIABLE AND DETAILED INFORMATION ABOUT ACTIVE TRANSPORT



MetroCount's powerful analysis software turns raw data into customisable summaries with just a few clicks.



Classify various mobility types by wheelbase (eg. bicycles, cargo bikes, scooters), detect pedestrians & differentiate them from all other traffic.



Easily visualise speed, volume, class, direction, headway & traffic gap of every mobility device, time-stamped to millisecond precision.



Retain full ownership of the data you collect.



100% off-grid. Solar-charged and long lasting, replaceable batteries allow systems to be installed almost anywhere.



Quality built in Australia. Unparalleled, multi-lingual support and training from offices in the UK, Netherlands, USA & Australia.



Independently verified in real world conditions to provide accuracy of 99% or greater.



Piezoelectric strips and pneumatic tube sensors specifically designed to:

- Record 24/7, 365 days a year in all weather & lighting conditions.
- Detect carbon fibre bikes & path users travelling in clusters.



We have 5 RidePod BTs with remote access.
These are usually placed on dedicated,
on-road bike lanes and help us better
understand recreational cycling.

They are a valuable asset and we've used the
data collected to apply for funding to improve
infrastructure in those areas.

- CITY OF ONKAPARINGA, SOUTH AUSTRALIA

The RidePod® BT collects bicycle and scooter data using specially designed pneumatic tubes. The system records axle information which is then analysed by the powerful MTE® software.

Quick and easy installation, robust hardware, data accuracy and full user ownership make RidePod BT the best portable monitoring solution on the market for understanding active transportation.



VOLUME | SPEED | CLASS | HEADWAY & TRAFFIC GAP | DIRECTION | ACCURATELY DETECTS CLUSTERS



RidePod® BT

PORTABLE BIKE AND SCOOTER MONITORING SYSTEM

Sensors

2 thin-walled pneumatic tubes

Battery Life

Up to 4 years continuous use

Memory

Flash, up to 2 million axles

Enclosure

Stainless steel road case and internal waterproof unit

Included

Latest version of MTE® software

Optional

Remote access, data services & ATLYST® online analytics





RidePod® BP

ALL-IN-ONE SCOOTER, BIKE & PEDESTRIAN MONITORING SYSTEM



Sensors

2 piezoelectric strips

Battery Life

Unlimited. Solar panel and rechargeable battery system

Memory

Flash, up to 2 million axles

Enclosure

Stainless steel mounted cabinet and internal waterproof unit

Operating temperature

Between -20°C and 70°C

Included

Latest MTE® software and remote data services

Optional

ATLYST® online analytics and API



The RidePod BP has been trouble free, reliable, and accurate. It has worked through heat, heavy rain, and cold, and I see no reason why it would not operate properly in snowy conditions.

Since it is a permanent in-pavement installation, it could handle snow-clearing without damage.



- DIVISION OF TRANSPORTATION, VIRGINIA, USA

The RidePod® BP is the only solution on the market that can simultaneously collect data on pedestrians, scooters and bicycles 24/7. Together with the powerful MTE® software, seasonal trend analysis and year-to-year comparisons are quick and easy.

The system uses two sensitive piezoelectric strips embedded in a cycle lane or shared path. Regardless of the direction, speed or position of path users, the RidePod BP accurately classifies and time-stamps all mobility devices, even those made of carbon fibre.

VOLUMES | BIKE & SCOOTER SPEEDS | HEADWAY & TRAFFIC GAP | TRUE DIRECTION | PEDESTRIANS





info@3econsulting.in
raghu@3econsulting.in

(+91) 812 349 4145
(080) 286 117 11

280C, 38th Cross
8th Block, Jaynagar
BANGALORE 560082

